

Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

PCB ID : 130131

Health Care Facility / CBWTF Name : Pramila Hospital & Ivf Center

1	Year	<input type="text" value="2022"/>
2	Type of Health Care Facility	<input type="text" value="Bedded Hospital Private"/>
3	Number of Beds	<input type="text" value="50"/>
4	License Number and Date of Expiry of License	<input type="text" value="86757"/> <input type="text" value="11/02/202"/>
5	Do you have Captive Treatment Facility ?	<input type="radio"/> Yes <input checked="" type="radio"/> No

Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)

6	Yellow Category	<input type="text" value="234.9"/>
7	Red Category	<input type="text" value="25.7"/>
8	White Category	<input type="text" value="7"/>
9	Blue Category	<input type="text" value="74.75"/>
10	General Solid Waste	<input type="text" value="250"/>

Details of the Storage, Treatment, Transportation, Processing and Disposal Facility

11	Details of the on-site storage facility	<input type="text" value="HOSWIN INCINERATOR PVT LTD"/>
12	Treatment Facility	<input type="text" value="DSN,DAC,DNC"/>
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment (in kg / Year)	<input type="text" value="0"/>
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	<input type="text" value="1"/>
15	Details of Incineration Ash and ETP Sludge generated and disposed during the	<input type="text" value="0"/>

	NUMBER OF WASTE (MT/NG / YEAR)	
16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Hoswin Incinerator Pvt. Ltd
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	<input checked="" type="radio"/> Yes <input type="radio"/> No YES

Details of Trainings conducted on Bio Medical Waste Management

18	Number of Trainings conducted on BMW Management	8
19	Number of Personnel Trained	10
20	Number of Personnel Trained at the time of Induction	
21	Number of Personnel not undergone any Training so far	5
22	Whether standard manual for Training is available ?	<input type="radio"/> Yes <input checked="" type="radio"/> No
23	Any other information	NA

Details of the accident occurred during the year

24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken (details if any)	NA
27	Any Fatality Occurred , details	NA
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	<input type="radio"/> Yes <input checked="" type="radio"/> No NA
29	Details of Continuous Online Emission	NA

30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	<input type="text" value="NA"/>
31	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="text"/>
32	Any other relevant information	<input type="text" value="NA"/>

Update

Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

PCB ID : 130131

Health Care Facility / CBWTF Name : Pramila Hospital & Ivf Center

1	Year	2021 <input type="button" value="v"/>
2	Type of Health Care Facility	Bedded Hospital Private <input type="button" value="v"/>
3	Number of Beds	50 <input type="text"/>
4	License Number and Date of Expiry of License	86757 <input type="text"/> 11/02/202 <input type="text"/>
5	Do you have Captive Treatment Facility ?	<input type="radio"/> Yes <input checked="" type="radio"/> No

Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)

6	Yellow Category	118.7 <input type="text"/>
7	Red Category	22.9 <input type="text"/>
8	White Category	8.6 <input type="text"/>
9	Blue Category	33.5 <input type="text"/>
10	General Solid Waste	230 <input type="text"/>

Details of the Storage, Treatment, Transportation, Processing and Disposal Facility

11	Details of the on-site storage facility	Hoswin Incinerator pvt ltd <input type="text"/>
12	Treatment Facility	DSN,DAC,DNC <input type="text"/>
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment (in kg / Year)	0 <input type="text"/>
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	1 <input type="text"/>
15	Details of Incineration Ash and ETP Sludge generated and disposed during the	0 <input type="text"/>

	Treatment of waste (in kg/ year)	
16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Hoswin Incinerator Pvt. Ltd
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	<input checked="" type="radio"/> Yes <input type="radio"/> No <div style="border: 1px solid black; padding: 2px; width: 150px; margin-left: 20px;">Yes</div>

Details of Trainings conducted on Bio Medical Waste Management

18	Number of Trainings conducted on BMW Management	8
19	Number of Personnel Trained	10
20	Number of Personnel Trained at the time of Induction	5
21	Number of Personnel not undergone any Training so far	5
22	Whether standard manual for Training is available ?	<input type="radio"/> Yes <input checked="" type="radio"/> No
23	Any other information	Na

Details of the accident occurred during the year

24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken (details if any)	Na
27	Any Fatality Occurred , details	Na
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	<input type="radio"/> Yes <input checked="" type="radio"/> No <div style="border: 1px solid black; padding: 2px; width: 100px; margin-left: 20px;">Na</div>
29	Details of Continuous Online Emission	Na

	Monitoring systems installed	
30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	<input type="text" value="Na"/>
31	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="text" value="No"/>
32	Any other relevant information	<input type="text" value="Na"/>
<input type="button" value="Update"/>		